


D3 SERIES

PRODUCT
CATELOGUE
DESIGN



Drix[®]
Home Intelligence

www.drix.co.in

Toll Free Number : 1800 123 7595

INDIAN STANDARD
SMART TOUCH SWITCH




MADE IN





MADE
MAKE IN



Works with
Tuya



Works with
Smart Life



works with
amazon alexa



works with
Google Assistant

www.drix.co.in

ALS Function

Automatic light brightness detection. It can be opened or closed on the app. When the daylight is strong, the button indicator light automatically turns on. When the light is dim at night, the button indicator light automatically dims without affecting sleep.



Powered by



Product Color (Glass)

Black

White

Product Frame Color

Black

Gold

Silver

BACKLIGHT BRIGHTNESS - MANUAL / ALS AUTO

www.drix.co.in


Smarter Living Starts Here
Automate Your World with
Home Intelligent Solutions.



Available Module




Customized Icon & Text



D3 1 GANG 2 TOUCH SWITCH

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS2-W/z**

Product Specifications

■ Name	: 2 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 86 x 86 x 35.7	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp.:	: -20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 210g	■ Power Meter	: N/A

D3 1 GANG 3 TOUCH SWITCH

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS3-W/z**

Product Specifications

■ Name	: 2 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 86 x 86 x 35.7	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp.:	: -20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 210g	■ Power Meter	: N/A

D3 2 GANG 4 TOUCH SWITCH

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS4-W/z**

Product Specifications

Name	: 2 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 86 x 86 x 35.7	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp.:	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 210g	Power Meter	: N/A

D3 2 TOUCH SWITCH + 1 FAN TOUCH SWITCH

Drix[®]
Home Intelligence



Powered by



MODEL : **D3KS2F1-W/z**


Product Specifications

Name	: 2 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 86 x 86 x 35.7	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp.:	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 210g	Fan Watt	: Max 120W

D3 2 TOUCH SWITCH + 1 CURTAIN SWITCH

Drix[®]
Home Intelligence

2 Module



Powered by



MODEL : **D3KS2C1-W/z**


Product Specifications

■ Name	: 2 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 86 x 86 x 35.7	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp.:	: -20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 210g	■ Curtain Parameter	: Quick Calibration, Motor direction

www.drix.co.in

D3 2 TOUCH SWITCH + 1 LIGHTING DIMMING SWITCH

Drix[®]
Home Intelligence



Powered by



MODEL : **D3KS2D1-W/z**

Product Specifications

■ Name	: 2 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 86 x 86 x 35.7	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp.:	-20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 210g	■ Dimming Parameter	: INC/Hal/CFL/FLR/LED, Max 300W

www.drix.co.in


D3 8 TOUCH SWITCH

Drix[®]
Home Intelligence

4 Module

All 10A/16A

Ambient Lighting Sensor



Powered by



MODEL : **D3KS8-W/z**

Product Specifications

Name	: 4 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 150 x 86 x 38.9	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 280g	Power Meter	: N/A

D3 4 TOUCH SWITCH + 1 MULTI-FUNCTION SOCKET

Drix[®]
Home Intelligence



Powered by



MODEL : D3KS4PU1-W/Z

Product Specifications

Name	: 4 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 150 x 86 x 38.9	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 300g	Power Meter	: N/A

Drix[®]
Home Intelligence




Product Specifications

■ Name	: 4 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 150 x 86 x 38.9	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp.:	: -20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 300g	■ Fan Watt	: Max 120W

D34 TOUCH SWITCH + 2 FAN REGULATOR

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS4F2-W/z**

Product Specifications

Name	: 4 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 150 x 86 x 38.9	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 280g	Fan Watt	: Max 120W

D3 6 TOUCH SWITCH + 1 FAN REGULATOR

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS6F1-W/z**

Product Specifications

■ Name	: 4 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 150 x 86 x 38.9	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp. :	-20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Weight	: 280g	■ Fan Watt	: Max 120W

D3 4 TOUCH SWITCH + 2 SOCKET

Drix[®]
Home Intelligence



Powered by



MODEL : D3KS4P2-W/z

Product Specifications


Name	: 6 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 234 x 86 x 37.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 400g	Power Meter	: N/A

D3 8 TOUCH SWITCH + 1 SOCKET

Drix[®]
Home Intelligence

6 Module

All 10A/16A



Universal Socket

Ambient Lighting Sensor

Powered by



MODEL : D3KS8P1-W/z

Product Specifications

Name	: 6 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 234 x 86 x 37.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 400g	Power Meter	: N/A

D3 10 TOUCH SWITCH + 1 SOCKET

Drix[®]
Home Intelligence

8 Module

All 10A/16A

Universal Socket

Ambient Lighting Sensor

Powered by



MODEL : **D3KS10P1-W/Z**

Product Specifications

Name	: 8 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 253 x 86 x 38.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 400g	Power Meter	: N/A

D3 7 TOUCH SWITCH + 1 FAN SWITCH + 1 SOCKET

Drix[®]
Home Intelligence

8 Module

10A/16A

Universal Socket



Fan Regulator

Ambient Lighting Sensor

Powered by




MODEL : D3KS7F1P1-W/Z

Product Specifications

Name	: 8 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 253 x 86 x 38.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 400g	Fan Watt	: Max 120W
Fan Watt	: Max 120W		

D3 6 TOUCH SWITCH + 1 LIGHTING DIMMING SWITCH + 1 FAN SWITCH + 1 SOCKET

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS6D1F1P1-W/Z**

Product Specifications

Name	: 8 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 253 x 86 x 38.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay OV Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Weight	: 400g	Dimming Parameter	: INC/Hal/CFL/FLR/LED, Max 300W
Fan Watt	: Max 120W		

D3 14 GANG SWITCH + 2 SOCKET

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS14P2-W/Z**

Product Specifications

■ Name	: 12 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 234 x 152 x 37.2	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp. :	-20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto

D3 4 GANG LIGHT SWITCH + 2 FAN SWITCH + 2 SOCKET

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS4F2P2-W/Z**

Product Specifications

Name	: 12 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 234 x 152 x 37.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Fan Watt	: Max 120W		

D3 7 GANG LIGHT SWITCH + 1 FAN SWITCH + 2 SOCKET

Drix[®]
Home Intelligence



Powered by




MODEL : **D3KS7FIP2-W/z**

Product Specifications

■ Name	: 12 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 234 x 152 x 37.2	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp. :	-20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Fan Watt	: Max 120W		

D3 8 GANG LIGHT SWITCH + CURTAIN CONTROL + 2 SOCKET

Drix[®]
Home Intelligence



Powered by



MODEL : **D3KS8C1P2-W/Z**

Product Specifications


■ Name	: 12 Module	■ Input Voltage	: 100-240VAC 50/60Hz
■ Size(mm)	: 234 x 152 x 37.2	■ Wireless Standards	: WiFi/Zigbee/Zwave
■ Materials	: PC+ABS	■ Support System	: Alexa/GA
■ Protection	: Over Current, Voltage/Relay 0V Switch	■ Countdown/Schedule	: Supported
■ Operating Temp. :	-20℃~50℃	■ Touch Mode	: Bistate/Monostate
■ Button Life	: 100,000 Times	■ Backlight Color	: Red/Blue/White/Off
■ Color	: Black/White Glass, Black/Gold Bezel	■ Backlight Brightness	: Manual/ALS Auto
■ Curtain Parameter	: Quick Calibration, Motor direction		

D3 10 GANG LIGHT SWITCH + 2 SOCKET

Drix[®]
Home Intelligence

10A/16A

12 Module



Non Smart Socket

Powered by




MODEL : **D3KS10P2-W/Z**

Product Specifications

Name	: 12 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 234 x 152 x 37.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto

D3 11 GANG LIGHT SWITCH + 1 FAN SWITCH + 2 SOCKET

Drix[®]
Home Intelligence



Powered by



MODEL : **D3KS11F1P2-W/z**

Product Specifications

Name	: 12 Module	Input Voltage	: 100-240VAC 50/60Hz
Size(mm)	: 234 x 152 x 37.2	Wireless Standards	: WiFi/Zigbee/Zwave
Materials	: PC+ABS	Support System	: Alexa/GA
Protection	: Over Current, Voltage/Relay 0V Switch	Countdown/Schedule	: Supported
Operating Temp. :	-20℃~50℃	Touch Mode	: Bistate/Monostate
Button Life	: 100,000 Times	Backlight Color	: Red/Blue/White/Off
Color	: Black/White Glass, Black/Gold Bezel	Backlight Brightness	: Manual/ALS Auto
Fan Watt	: Max 120W		

SMART ~~SWEET~~ HOME

Kerala Distributor



electrosolutions
TRADING LLP

Keep In Touch :

+91 8129 325 325

Customer care

+91 7594 018 000

Head Office
Perinthalmanna

Branches
Manjeri | Edappal | Kondotty